



Art.Nr. **LGL421**



- 3W
- 170Lm
- 4000K – neutral white
- IP67
- AC 85 - 264V
- Dimension 210 x 66 x Ø40 mm
- Weight netto – 265g
- 45cm-H05RN-F3G0,75mm
- 30°
- 50000h
- G
- Warranty 3 years
- Recommended ambient temperature -30° to +65°C
- Tilting 135°
- Packing 1/40/40



Art.Nr. **LGL421**



- 3W
- 170Lm
- 4000K – neutrálna biela
- IP67
- AC 85 - 264V
- Rozmer 210 x 66 x Ø40 mm
- Hmotnosť netto – 265g
- 45cm-H05RN-F3G0,75mm
- 30°
- 50000h
- G
- Záruka 3 roky
- Doporučená teplota okolia -30° až +65°C
- Naklápanie 135°
- Balenie 1/40/40



Art.Nr. **LGL421**



- 3W
- 170Lm
- 4000K – neutrální bílá
- IP67
- AC 85 - 264V
- Rozměr 210 x 66 x Ø40 mm
- Hmotnost netto – 265g
- 45cm-H05RN-F3G0,75mm
- 30°
- 50000h
- G
- Záruka 3 roky
- Doporučená teplota okolí -30° až +65°C
- Naklápění 135°
- Balení 1/40/40



Art.Nr. **LGL421**



- 3W
- 170Lm
- 4000K – természetes fehér
- IP67
- AC 85 - 264V
- Méret 210 x 66 x Ø40 mm
- Nettó tömeg – 265g
- 45cm-H05RN-F3G0,75mm
- 30°
- 50000h
- G
- 3 év garancia
- Ajánlott környezeti hőmérséklet -30° és +65°C
- dönthetőség 135°
- Csomagolás 1/40/40



Art.Nr. **LGL421**



- 3W
- 170Lm
- 4000K - Neutralweiß
- IP67
- AC 85 - 264V
- Dimension 210 x 66 x Ø40 mm
- Nettogewicht – 265g
- 45cm-H05RN-F3G0,75mm
- 30°
- 50000St
- G
- Garantiezeit 3 Jahre
- Empfohlene Umgebungstemperatur -30° bis +65°C
- Schwenken 135°
- Verpackung 1/40/40